



Power Strip XO CCV5RD-6T1-2C (EU)

Power Strip Xtreme Outdoor. 1xC EE16A IN - 6x powerCON® TRUE1® TOP OUT & 1x CEE16A OUT

Power Strip Xtreme Outdoor (XO) is a compact distribution solution for mobile outdoor applications. Rugged EASYLEN® housing is ideally suited for outdoor usage and demanding applications under harsh conditions. 1x CEE16A In and up to 6x powerCON® TRUE1® TOP Out & 1x CEE16A Out.

Features & Benefits

- ✓ Extreme robust and safe EASYLEN® housing with leather grain texture
- ✓ Mains receptacles CEE16A IN & daisy chaining and highly reliable NEUTRIK® powerCON® TRUE1® TOP OUT
- ✓ Flame retardant (UL94-V2) and non-conductive housing material
- ✓ High outdoor protection (IP65, IK, ..)
- ✓ Light weight, compact and stackable housing design
- ✓ Versatile mounting options

Applications and markets

- ✓ Main markets: Professional video walls, event lighting, pro-audio
- ✓ Mobile application: Festivals, live events
- ✓ Semi-permanent applications: Theaters, studios

Ordering Information

Article name	Details
CCV5RD-6T1-2C	IN: 1xCEE16A In & daisy chaining - OUT: 6x powerCON® TRUE1® TOP Out

Technical Information

Product	
Input device	1xCEE16-5
Output device	6x powerCON® TRUE1® TOP
Daisy chaining	1x CEE16-5

Electrical	
Contact resistance / protection class	Protection class II
Dielectric strength	0,5 kV / mm
Rated voltage	400V AC
Rated Current	16A
Number of electrical contacts	4 + PE
Phases	multi-phase (3+N+PE)

Mechanical

Dimensions	528.6 x 92 x 117.2 mm
Conductor cross section	2,5 mm ²
Weight	2.1 kg
Mounting options	Truss clip, truss clamp, mounting wholes for pegging or suspension

Material

Housing	Easylen
Color	black

Environmental

Standards compatibility	UL94-V2
Protection class	IP65
Temperature range	-25 °C bis +40°C